

848



The Mysore Gazette.

Vol. 68]

PUBLISHED BY AUTHORITY.

[No. 49

BANGALORE, THURSDAY, DECEMBER 14, 1933.

PART V

Season Report for the week ending with the Forty-ninth Saturday in 1933
(9th December 1933)

| District and Station | | Rainfall up to 8 A.M. on Saturday, 9th December 1933 | | | | | | | | | | Price of food grains in seers per rupee and market fluctuations in prices of food grains. | | | |
|----------------------|------------------------|--|--|----|---|----|---------------------------|----|--|-----|----|---|-----------|-----------|-------------------------------------|
| | | This week | Last ten years' average for the corresponding week | | Up to the end of the week from 1st January 1933 | | | | | | | | | | |
| | | | | | This year | | Average of past ten years | | Excess (+) or deficit (-) of column 4 compared with column 5 | | | | | | |
| 1 | | 2 | | 3 | | 4 | | 5 | | 6 | | 7 | | | |
| | | I. | a. | I. | a. | I. | a. | I. | a. | I. | a. | | This week | Past week | Past ten years' fortnightly average |
| BANGALORE | Bangalore City & Taluk | 0 | 00 | 0 | 10 | 35 | 58 | 38 | 81 | 6 | 77 | | | | |
| | Hoskote | 0 | 00 | 0 | 04 | 31 | 72 | 35 | 77 | -4 | 05 | | | | |
| | Dodballapur | 0 | 00 | 0 | 02 | 26 | 96 | 27 | 49 | -0 | 53 | Rice, 2nd | 8'00 | 8'00 | 7'00 |
| | Nelamangala | 0 | 00 | 0 | 02 | 33 | 99 | 27 | 77 | -6 | 22 | sort. | | | |
| | Kankanhalli | 0 | 00 | 0 | 11 | 33 | 54 | 37 | 80 | -3 | 76 | Ragi | 25'00 | 25'00 | 17'00 |
| | Magadi | 0 | 00 | 0 | 09 | 37 | 45 | 43 | 80 | -6 | 35 | | | | |
| | Channarayana | 0 | 00 | 0 | 03 | 45 | 63 | 27 | 80 | 18 | 38 | Kulthi | 16'00 | 16'00 | 12'00 |
| | Anekal | 0 | 00 | 0 | 23 | 27 | 90 | 28 | 12 | -0 | 22 | | | | |
| | Devanahalli | 0 | 00 | 0 | 03 | 31 | 31 | 31 | 84 | -0 | 53 | Kadale | 9'00 | 9'00 | 7'00 |
| | Closetpet | 0 | 00 | 0 | 06 | 35 | 93 | 27 | 83 | 8 | 10 | | | | |
| District average | | 0 | 00 | 0 | 07 | 34 | 01 | 31 | 60 | 2 | 41 | | | | |
| KOLAR | Kolar | 0 | 00 | 0 | 39 | 30 | 51 | 27 | 62 | 2 | 89 | | | | |
| | Bowingpet | 0 | 00 | 0 | 30 | 20 | 80 | 25 | 19 | -4 | 39 | | | | |
| | Chintamani | 0 | 00 | 0 | 48 | 23 | 77 | 27 | 02 | -3 | 25 | Rice, 2nd | 10'00 | 8'00 | 8'00 |
| | Mulbagal | 0 | 00 | 0 | 65 | 20 | 63 | 30 | 69 | -10 | 06 | sort. | | | |
| | Sidlaghatta | 0 | 00 | 0 | 23 | 28 | 09 | 26 | 54 | 1 | 55 | Ragi | 26'00 | 28'00 | 26'00 |
| | Chikballapur | 0 | 00 | 0 | 24 | 31 | 60 | 29 | 45 | 2 | 15 | | | | |
| | Bagepalli | 0 | 00 | 0 | 40 | 28 | 43 | 25 | 56 | 2 | 87 | Kulthi | 20'00 | 18'00 | 18'00 |
| | Goribidnur | 0 | 00 | 0 | 29 | 35 | 44 | 25 | 22 | 10 | 22 | | | | |
| | Malur | 0 | 00 | 0 | 22 | 27 | 00 | 28 | 52 | -1 | 52 | Kadale | 8'00 | 8'00 | 8'00 |
| | Srinivasapur | 0 | 00 | 0 | 35 | 26 | 88 | 27 | 63 | -0 | 95 | | | | |
| Gudibanda | 0 | 00 | 0 | 51 | 32 | 79 | 27 | 51 | 5 | 28 | | | | | |
| District average | | 0 | 00 | 0 | 37 | 27 | 81 | 27 | 38 | 0 | 43 | | | | |
| TUMKUR | Tumkur | 0 | 00 | 0 | 12 | 50 | 81 | 29 | 05 | 21 | 76 | | | | |
| | Madhugiri | 0 | 00 | 0 | 22 | 33 | 35 | 25 | 22 | 8 | 13 | | | | |
| | Chiknaikanhalli | 0 | 00 | 0 | 14 | 38 | 36 | 27 | 64 | 10 | 72 | Rice, 2nd | 12'00 | 12'00 | 5'00 |
| | Sira | 0 | 00 | 0 | 23 | 49 | 66 | 18 | 61 | 31 | 04 | sort. | | | |
| | Gubbi | 0 | 00 | 0 | 14 | 44 | 93 | 25 | 46 | 19 | 47 | Ragi | 23'00 | 25'00 | 18'00 |
| | Tiptur | 0 | 00 | 0 | 19 | 29 | 35 | 21 | 84 | 7 | 51 | | | | |
| | Pavagada | 0 | 00 | 0 | 24 | 27 | 15 | 19 | 14 | 8 | 01 | Kulthi | 23'00 | 20'00 | 12'00 |
| | Kunigal | 0 | 00 | 0 | 09 | 44 | 60 | 27 | 04 | 17 | 56 | | | | |
| | Kortagere | 0 | 00 | 0 | 27 | 39 | 93 | 23 | 61 | 16 | 30 | Kadale | 8'00 | 9'00 | 5'00 |
| Turuvekere | 0 | 00 | 0 | 08 | 28 | 19 | 26 | 70 | 1 | 48 | | | | | |

| District and Station | | Rainfall up to 9 A.M. on Saturday, 9th December 1933 | | | | | | | | | | Price of food grains in seers per ruppee and market fluctuations in prices of food grains | | | |
|-----------------------|-------------------------|--|----|--|----|---|----|---------------------------|----|--|----|---|-----------|-----------|-----------------------------|
| | | This week | | Last ten years' average for the corresponding week | | Up to the end of the week from 1st January 1933 | | | | Excess (+) or deficit (-) of column 4 compared with column 5 | | | | | |
| | | | | | | This year | | Average of past ten years | | | | | | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | |
| MYSORE | Mysore | 0 | 00 | 0 | 09 | 35 | 95 | 25 | 54 | 10 | 41 | Rice, 2nd sort. Ragi Kulthi | This week | Past week | Past year fortnight average |
| | Chamarajnagar | 0 | 00 | 0 | 24 | 29 | 94 | 22 | 20 | 7 | 78 | | Seers | Seers | Seers |
| | Seringapatam | 0 | 00 | 0 | 08 | 32 | 76 | 24 | 01 | 8 | 75 | | | | |
| | Hunsur | 0 | 00 | 0 | 03 | 43 | 85 | 23 | 43 | 14 | 42 | | | | |
| | Yedatore | 0 | 00 | 0 | 08 | 34 | 78 | 27 | 25 | 7 | 53 | | 11'00 | 11'00 | 7'00 |
| | Heggaddevankote | 0 | 00 | 0 | 02 | 55 | 11 | 35 | 90 | 19 | 21 | | | | |
| | Gundlupet | 0 | 00 | 0 | 08 | 33 | 31 | 24 | 88 | 8 | 43 | | 20'00 | 20'00 | 15'00 |
| | Nanjangud | 0 | 00 | 0 | 09 | 44 | 30 | 26 | 30 | 18 | 03 | | | | |
| | T-Narsipur | 0 | 00 | 0 | 11 | 31 | 20 | 24 | 70 | 6 | 50 | | 20'00 | 20'00 | 15'00 |
| | Malvalli | 0 | 00 | 0 | 16 | 29 | 49 | 23 | 15 | 6 | 34 | | | | |
| | Mandya | 0 | 30 | 0 | 12 | 35 | 47 | 23 | 73 | 11 | 74 | | | | |
| | Krishnarajpete | 0 | 00 | 0 | 02 | 45 | 17 | 28 | 92 | 16 | 25 | | | | |
| | Nagamangala | 0 | 00 | 0 | 07 | 29 | 65 | 27 | 06 | 2 | 59 | | | | |
| Periyapatna Sub-Taluk | 0 | 00 | 0 | 07 | 52 | 93 | 35 | 97 | 16 | 96 | | | | | |
| Maddur | 0 | 00 | 0 | 00 | 36 | 15 | 00 | 00 | 36 | 15 | | | | | |
| District average | | 0 | 00 | 0 | 09 | 37 | 59 | 27 | 07 | 10 | 92 | | | | |
| HASSAN | Haasan | 0 | 00 | 0 | 13 | 44 | 11 | 33 | 00 | 11 | 11 | Rice, 2nd sort. Ragi Kulthi Kadale | 10'00 | 10'00 | 7'50 |
| | Manjarabad (Sakies par) | 0 | 00 | 0 | 18 | 134 | 11 | 112 | 75 | 21 | 36 | | | | |
| | Arkalgud | 0 | 00 | 0 | 28 | 48 | 92 | 41 | 60 | 7 | 32 | | 24'00 | 20'00 | 14'00 |
| | Belur | 0 | 00 | 0 | 19 | 50 | 54 | 42 | 13 | 8 | 41 | | | | |
| | Channarayana | 0 | 00 | 0 | 16 | 29 | 90 | 25 | 30 | 1 | 60 | | 16'00 | 16'00 | 12'00 |
| | Arsikere | 0 | 00 | 0 | 24 | 42 | 16 | 26 | 42 | 15 | 74 | | | | |
| | Hole-Narsipur | 0 | 00 | 0 | 06 | 41 | 38 | 27 | 30 | 14 | 08 | | 8'00 | 8'00 | 6'00 |
| | Alur | 0 | 00 | 0 | 08 | 53 | 61 | 43 | 44 | 10 | 17 | | | | |
| | District average | 0 | 00 | 0 | 16 | 55 | 59 | 44 | 37 | 11 | 23 | | | | |
| SHIMOGA | Shimoga | 0 | 00 | 0 | 26 | 48 | 35 | 33 | 19 | 15 | 16 | Rice, 2nd sort. Ragi Kulthi | 11'00 | 11'00 | 5'14 |
| | Channagiri | 0 | 00 | 0 | 19 | 54 | 40 | 33 | 27 | 21 | 13 | | | | |
| | Honnali | 0 | 00 | 0 | 20 | 48 | 38 | 24 | 00 | 24 | 38 | | 24'00 | 24'00 | 19'32 |
| | Shikarpar | 0 | 00 | 0 | 23 | 45 | 76 | 39 | 80 | 6 | 96 | | | | |
| | Sorab | 0 | 00 | 0 | 22 | 84 | 62 | 63 | 80 | 20 | 22 | | | | |
| | Sagar | 0 | 00 | 0 | 22 | 100 | 06 | 91 | 48 | 8 | 58 | | 16'00 | 16'00 | 7'58 |
| | Nagar (Kallurkotte) | 0 | 00 | 0 | 11 | 136 | 00 | 111 | 24 | 23 | 76 | | 8'00 | 8'00 | ... |
| | Tirthahalli | 0 | 00 | 0 | 36 | 165 | 25 | 131 | 23 | 33 | 97 | | | | |
| | Kumsi | 0 | 00 | 0 | 16 | 55 | 73 | 42 | 38 | 13 | 35 | | | | |
| | District average | 0 | 00 | 0 | 21 | 81 | 88 | 63 | 27 | 18 | 61 | | | | |
| KADUR | Chikmagalur | 0 | 00 | 0 | 13 | 42 | 36 | 34 | 25 | 8 | 11 | Rice, 2nd sort. Ragi Kulthi Kadale | 13'00 | 12'00 | 6'00 |
| | Kadur | 0 | 00 | 0 | 09 | 37 | 27 | 26 | 25 | 11 | 02 | | | | |
| | Tarikere | 0 | 00 | 0 | 14 | 49 | 81 | 37 | 62 | 12 | 29 | | 26'00 | 26'00 | 10'00 |
| | Koppa | 0 | 00 | 0 | 23 | 133 | 13 | 124 | 07 | 9 | 06 | | | | |
| | Mudgere | 0 | 00 | 0 | 18 | 109 | 67 | 97 | 62 | 12 | 15 | | 18'00 | 18'00 | 10'00 |
| | Narasimharajapura | 0 | 00 | 0 | 15 | 85 | 31 | 81 | 09 | 4 | 22 | | 9'00 | 9'00 | 5'00 |
| | Singeri | 0 | 00 | 0 | 34 | 173 | 29 | 161 | 88 | 11 | 41 | | | | |
| | District average | 0 | 00 | 0 | 18 | 90 | 12 | 80 | 37 | 9 | 75 | | | | |
| CHITALDRUG | Chitaldrug | 0 | 00 | 0 | 35 | 34 | 41 | 24 | 86 | 9 | 55 | Rice, 2nd sort. Ragi Kulthi Cholum Kadale | 10'00 | 10'00 | 5'00 |
| | Challakere | 0 | 00 | 0 | 16 | 28 | 96 | 17 | 94 | 11 | 02 | | | | |
| | Hiriyur | 0 | 00 | 0 | 13 | 34 | 20 | 18 | 94 | 15 | 26 | | 25'00 | 25'00 | 10'00 |
| | Holalkere | 0 | 00 | 0 | 06 | 40 | 69 | 25 | 70 | 14 | 99 | | 20'00 | 20'00 | 8'00 |
| | Davangere | 0 | 00 | 0 | 02 | 26 | 71 | 24 | 94 | 1 | 77 | | 20'00 | 20'00 | 12'00 |
| | Molakalmuru | 0 | 00 | 0 | 13 | 24 | 80 | 21 | 16 | 3 | 64 | | 10'00 | 10'00 | 5'00 |
| | Jagalur | 0 | 00 | 0 | 13 | 33 | 15 | 23 | 40 | 9 | 75 | | | | |
| | Hosurga | 0 | 00 | 0 | 17 | 42 | 12 | 22 | 82 | 19 | 30 | | | | |
| | Harihara | 0 | 00 | 0 | 18 | 31 | 35 | 20 | 72 | 10 | 63 | | | | |
| | District average | 0 | 00 | 0 | 15 | 32 | 93 | 22 | 28 | 10 | 65 | | | | |
| Provincial average | | 0 | 00 | 0 | 18 | 49 | 87 | 40 | 09 | 9 | 78 | | | | |

DISTRICT REPORTS.

8. Markets how supplied.
9. Progress of agricultural operations, state of standing crops, prospects and probable outturn of harvests, serious damages done to crops by insects or other natural calamities.
10. The prospects of the season, tracts in which the rainfall has been insufficient, areas affected by scarcity, number of people under relief and state of food stocks.
11. Remarks as to the condition of agricultural stock, failure of pasturage or fodder, etc.

BANGALORE CITY AND TALUKS.

8. Well supplied.
9. *Standing Crops*.—Ragi, paddy, sugar-cane, avare and togari are reported to be in good condition in all taluks except Hoskote Taluk. The Amildar has reported that avare and other crops are reported to have been attacked by *Kambli-hula*.
- Crops Harvested*.—Ragi is being reaped throughout the district and paddy in parts of Doddballapur and Kankanhalli Taluks, and sugar-cane is being harvested in parts of Nelamangala Taluk.
10. Good. Labour is available in all parts.
11. Cattle are reported to be healthy.
Water and fodder are available.

KOLAR.

8. Well supplied.
9. *Agricultural Operations*.—Nil.
Standing Crops.—Paddy, ragi, avare, togari, sugar-cane, ground-nut, same, panaji and horsegram are reported to be in good condition.
Crops Sown.—Vaisakhi paddy in Bagepalli Taluk and onions and potatoes in Chikballapur Taluk are being sown.
Crops Harvested.—Ragi in all the Taluks and Sub-Taluk of the District, ground-nut in Kolar, Mulbagal, Chikballapur Bagepalli and Goribidnur Taluks and in Gudibanda Sub-Taluk; paddy in Bowringpet, Chikballapur and Bagepalli Taluks and Gudibanda Sub-Taluk; sugar-cane in Sidlaghatta and Goribidnur Taluks and same in Bagepalli and Matur Taluks are being harvested.
10. Fair; Prices of food grains are stationary.
Labour is available.
11. Cattle are reported to be generally healthy throughout the district, except for the prevalence of "Black-quarter" and "Septicæmia" in Sidlaghatta Taluk.
Pasture, water and fodder are available.

TUMKUR.

8. Markets are well supplied.
9. *Seeds Sown*.—Paddy in parts of Tumkur and Koratagere Taluks.
Standing Crops.—Paddy, ragi, avare, togari, castor, sugar-cane, navane, sajje, save, horsegram and ground-nut.
Crops Harvested.—Ground-nut in parts of Tumkur, Madhugiri, Sira, Gubbi, Pavagada, Kunigal and Koratagere Taluks; paddy in parts of Tumkur, Chiknaikanhalli, Sira, Gubbi, Kunigal, Koratagere Taluks and Turuvekere Sub-Taluk; ragi in parts of Madhugiri, Chiknaikanhalli, Sira, Gubbi, Tiptur, Kunigal, Koratagere Taluks and Turuvekere Sub-Taluk; castor in Gubbi and Tiptur Taluks; sugar-cane in Kunigal Taluk and Turuvekere Sub-Taluk and navane in Madhugiri Taluk.
10. Fair.
11. Water and fodder are available in plenty.
Cattle are reported to be generally healthy except for the prevalence of Black-quarter in parts of Sira Taluk.
The Veterinary Inspector is reported to have been addressed in the matter.

MYSORE.

8. Well supplied.
9. *Standing Crops*.—Paddy, ragi, horse-gram, avare, thogari, sugar-cane, cotton, ground-nut, castor, mulberry, green-gram, black-gram, bengal-gram, coriander, tobacco, halasande, chillies and kambu are reported to be in good condition.
Seeds Sown.—Nil.
Crops Harvested.—Ragi in Mysore, Nanjangud, Malvalli, Mandya, Nagamangala and Maddur Taluks; paddy in Hunsur, Nanjangud, T.-Narsipur and Maddur Taluks; horse-gram in Gundlupet Taluk; sugar-cane in T.-Narsipur and Krishnarajpete Taluks; ground-nut in Malvalli Taluk and avare in Mandya Taluk.
10. Prospects of the season are fair.
Food stocks are available in sufficient quantity.
11. Water and fodder are available.
Cattle are reported to be generally healthy.

HASSAN.

8. Well supplied.
9. *Crops Sown*.—Nil.

Arsikere Taluks; avare in the Hassan, Arkalgud and Arsikere Taluks; sugar-cane in the Arkalgud, Belur, Channarayapatna, Arsikere, Hole-Narsipur Taluks and in the Alur Sub-Taluk; ragi in the Channarayapatna Taluk; castor and huchella in the Arsikere Taluk and kulthi in the Arsikere and Hole-Narsipur Taluks are reported to be generally in good condition.

Crops Harvested.—Paddy in the Manjarabad, Arkalgud, Belur and Channarayapatna Taluks and in the Alur Sub-Taluk; ragi in the Channarayapatna, Arsikere and Hole-Narsipur Taluks; chillies, cotton and jolam in the Arsikere Taluk are being reaped. Sugar-cane is being harvested in the Alur Sub-Taluk.

10. Prospects of the season are reported to be generally good.

11. Cattle are reported to be generally healthy.
Water and fodder are available.

SHIMOGA.

8. Well supplied.

9. *Agricultural Operations.*—Nil.

Seeds Sown.—Bengal-gram is being sown in the Channagiri Taluk.

Standing Crops.—Sugar-cane is reported to be in a fair condition in all the taluks and in the Kumsi Sub-Taluk.

Crops Harvested.—Paddy in all the taluks and in the Kumsi Sub-Taluk; ragi in the Taluks of Shimoga and Channagiri; jola in the taluks of Channagiri and Honnali; cotton in the Channagiri Taluk; chillies in the Honnali Taluk and areca in the Sagar, Nagar and Tirthahalli Taluks are being harvested.

10. Prospects of the season are reported to be fair.

Food grains are available.

Cooly classes find sufficient labour.

11. Cattle are reported to be generally healthy in all the taluks and the Kumsi Sub Taluk.

Fodder and water are available.

KADUR.

8. Markets well supplied.

9. *Agricultural Operations.*—Nil.

Crops Sown.—Bengal-grain, wheat and sugar-cane in Chikmagalur Taluk.

Standing Crops.—Paddy, ragi, sugar-cane, til, togari, avare, garlic, onions, cotton, areca and coffee are reported to be in good condition. It is reported that areca crop in Koppa Taluk and in Sringeri Sub-Taluk has suffered to some extent on account of Koleroga.

Crops Harvested.—Paddy, coffee and cardamom in Chikmagalur Taluk; ragi, cholam, til, paddy, save and ground-nut in Kadur and Tarikere Taluks; paddy, areca, coffee in Koppa and Mudgere Taluks and Narasimharajapura and Sringeri Sub-Taluks.

10. Prospects of the season are fair.

Food grains are available and their prices remain steady.

11. Cattle are generally healthy throughout the District.

It is reported that Foot and Mouth Disease prevails in the villages of Mylimane and Aldur Villages of Chikmagalur Taluk and also in Machagondanahalli and Panchanahalli Villages of Kadur Taluk. It is reported that the Veterinary Inspectors concerned are taking necessary action to check the spread of the disease.

Water and fodder for cattle are available in all the Taluks and Sub-Taluks of the District.

CHITALDRUG.

8. Markets were adequately supplied.

9. *Agricultural Operations.*—Sowing operations are reported to be going on in Hiriyur, Molakalmuru and Hosdurga Taluks. Harvesting operations are reported to be going on in all the Taluks.

Seeds Sown.—Kadale, wheat, tobacco, sugar-cane, paddy and onions.

State of Standing Crops.—Standing crops are reported to be in a good condition.

Crops Harvested.—Chitaldrug—ragi and navane; Chellakere—paddy; Hiriyur—paddy, ragi and navane; Holalkere—ragi; Davangere—paddy, navane, ragi, and jola; Molakalmuru—ragi, jola, navane, sajje, ground-nut, balasande, green-gram, onions and paddy; Jagalur—jola, navane, sajje and ragi; Hosdurga—ragi and save; Harihar—jola, ragi, navane and paddy.

10. Prospects of the season are reported to be fair.

Prices of foodgrains are almost stationary.

Cooly classes find enough labour.

11. Except for the prevalence of "Black-quarter" in several villages of Hiriyur Taluk, cattle in other parts of the District are reported to be healthy.

Necessary remedial measures are being adopted by the concerned Veterinary Inspectors.

Water and fodder are reported to be available.

Statement showing the prices current (retail) of rice (2nd sort), ragi and horsegram at the several Taluk Headquarters for the week ending Saturday, the 9th December 1933.

| District | Taluka | Quantity per rupee by the standard seer of 80 tolas | | | District | Taluka | Quantity per rupee by the standard seer of 80 tolas | | |
|-----------|------------------|---|----------|-----------|----------------|-------------------|---|----------|-----------|
| | | Rice, 2nd sort | Ragi | Horsegram | | | Rice, 2nd sort | Ragi | Horsegram |
| | | Srs. ch. | Srs. ch. | Srs. ch. | | | Srs. ch. | Srs. ch. | Srs. ch. |
| Bangalore | Bangalore | 8 0 | 26 0 | 16 0 | Mysore-corned. | Malvalli | 9 0 | 22 0 | 25 0 |
| | Hoskote | 10 0 | 32 0 | 20 0 | | Mandya | 10 0 | 22 0 | 23 0 |
| | Dodballapur | 11 0 | 30 0 | 20 0 | | Maddur | 11 0 | 20 0 | 22 0 |
| | Nelamangala | 10 0 | 32 0 | 24 0 | | Krishnarajpete | 12 0 | 20 0 | 18 0 |
| | Kankanhalli | 9 0 | 30 0 | 24 0 | | Nagamangala | 10 0 | 22 0 | 24 0 |
| | Magadi | 8 0 | 24 0 | 20 0 | | Periyapatna | 12 0 | 20 0 | 16 0 |
| | Channarayana | 10 8 | 23 0 | 23 0 | | Hassan | 10 0 | 24 0 | 16 0 |
| | Anekal | 10 8 | 30 0 | 20 0 | | Manjarabad | 10 0 | 18 0 | 18 0 |
| | Devanhalli | 8 0 | 28 0 | 20 0 | | Arkalgud | 12 0 | 20 0 | 16 0 |
| | Closepet | 9 0 | 24 0 | 20 0 | | Belur | 10 0 | 16 6 | 14 0 |
| Kolar | Kolar | 10 0 | 26 0 | 20 0 | Hassan | Channarayana | 10 0 | 20 0 | 20 0 |
| | Bowringpet | 10 0 | 25 0 | 19 0 | | Arakere | 11 0 | 22 0 | 16 0 |
| | Chintamani | 10 0 | 30 0 | 20 0 | | Hole-Narsipur | 18 0 | 24 0 | 22 0 |
| | Mulbagal | 10 0 | 25 0 | 12 0 | | Alur | 14 0 | 20 0 | 16 0 |
| | Sidlaghatta | 10 0 | 28 0 | 23 0 | | Shimoga | 11 0 | 24 0 | 16 0 |
| | Chikballapur | 10 0 | 24 0 | 19 0 | | Channagiri | 11 8 | 30 0 | 18 0 |
| | Bagalur | 10 0 | 30 0 | 22 0 | | Honnali | 12 0 | 33 0 | 20 0 |
| | Geribidnur | 12 0 | 28 0 | 25 0 | | Shikarapur | 12 0 | 30 0 | 14 0 |
| | Malur | 10 0 | 30 0 | 21 0 | | Scrab | 13 0 | 20 0 | 12 0 |
| | Srinivasapur | 9 0 | 26 0 | 16 0 | | Sagar | 12 0 | 25 0 | 14 0 |
| Tumkur | Gudibanda | 10 0 | 23 0 | 18 0 | Shimoga | Nagar | 8 0 | 16 0 | 12 0 |
| | Tumkur | 12 8 | 23 0 | 23 0 | | Tirthahalli | 10 0 | 20 0 | 14 0 |
| | Madhugiri | 12 0 | 25 0 | 24 8 | | Kumai | 12 0 | 20 0 | 12 0 |
| | Chiknayakanhalli | 11 0 | 25 0 | 20 0 | | Chikmagalur | 11 0 | 20 0 | 14 0 |
| | Sira | 12 0 | 24 0 | 23 0 | | Kadur | 10 0 | 25 0 | 20 0 |
| | Gubbi | 11 0 | 28 0 | 22 0 | | Tarikere | 13 0 | 26 0 | 18 0 |
| | Tiptur | 10 0 | 22 0 | 18 0 | | Koppa | 11 0 | 16 0 | 14 0 |
| | Pavagada | 14 0 | 28 0 | 24 0 | | Madgera | 8 8 | 16 0 | 14 0 |
| | Kunigal | 10 0 | 26 0 | 25 0 | | Narasimharajapura | 12 0 | 20 0 | 16 0 |
| | Kortagere | 12 0 | 23 0 | 22 0 | | Sringeri | 10 0 | 18 0 | 11 0 |
| Mysore | Turnuvekere | 10 0 | 25 0 | 20 0 | Kadur | Chitaldrug | 10 0 | 25 0 | 20 0 |
| | Mysore | 11 8 | 20 0 | 20 0 | | Challakere | 12 0 | 22 0 | 25 0 |
| | Channarayana | 10 0 | 24 0 | 21 0 | | Hiriyur | 13 0 | 23 0 | 24 0 |
| | Seringapatam | 10 0 | 23 0 | 22 0 | | Holalkere | 10 0 | 30 0 | 20 0 |
| | Hunsur | 12 0 | 20 0 | 18 0 | | Davangere | 9 8 | 24 0 | 15 0 |
| | Yedatore | 12 0 | 20 0 | 18 0 | | Molakshimura | 11 0 | 20 0 | 20 0 |
| | Heggaddevankote | 10 0 | 24 0 | 20 0 | | Jagalur | 10 0 | 20 0 | 18 0 |
| | Gundlopet | 10 0 | 22 0 | 20 0 | | Hosdurga | 9 0 | 27 0 | 18 0 |
| | Nanjangua | 11 0 | 26 0 | 20 0 | | Hariker | 11 0 | 26 8 | 20 0 |
| | T.-Narsipur | 12 0 | 22 0 | 22 0 | | | | | |